








glass clamps



S1 - SYSTEM




S2 - SYSTEM







Dimensions	b	h	a	k	s	z	Ø	e	f
mm	48 - 50	40	28	36 - 38	13 - 15	20	8	20	100

glass - t (mm)	6	6,76	8	8,76	10	10,76
	A19/20-006	A19/20-007	A19/20-008	A19/20-009	A19/20-010	A19/20-011

MODEL 20	Art.	Ø 33,7	Ø 42,4	Ø 48,3	Ø 50	S (mm)	b (mm)	k (mm)	90°	S1	S2	S3	AISI304	AISI316	ZAMAK	SATIN	POLISH	COLOR RAL	AL
	A/2000-033	✓				13	48	36		✓	✓		✓			✓			
	A/2000-033-L	✓				13	48	36		✓	✓		✓				✓		
	A14/2000-033	✓				13	48	36		✓	✓			✓		✓			
	A14/2000-033-L	✓				13	48	36		✓	✓			✓			✓		
	ZN/2000-033	✓				13	48	36		✓	✓				✓	✓			
	ZN-SATIN/2000-033	✓				13	48	36		✓	✓				✓	✓			
	ZN-POLISH/2000-033	✓				13	48	36		✓	✓				✓		✓		
	ZN-COLOR/2000-033	✓				13	48	36		✓	✓				✓			✓	
	A/2000-042		✓			15	50	38	✓	✓	✓		✓			✓			
	A/2000-042-L		✓			15	50	38	✓	✓	✓		✓				✓		
	A14/2000-042		✓			15	50	38	✓	✓	✓			✓		✓			
	A14/2000-042-L		✓			15	50	38	✓	✓	✓			✓			✓		
	ZN/2000-042		✓			15	50	38	✓	✓	✓				✓	✓			
	ZN-SATIN/2000-042		✓			15	50	38	✓	✓	✓				✓	✓			
	ZN-POLISH/2000-042		✓			15	50	38	✓	✓	✓				✓		✓		
	ZN-COLOR/2000-042		✓			15	50	38	✓	✓	✓				✓			✓	
	A/2000-048			✓		15	50	38	✓	✓	✓		✓			✓			
	A/2000-048-L			✓		15	50	38	✓	✓	✓		✓				✓		
	A14/2000-048			✓		15	50	38	✓	✓	✓			✓		✓			
	A14/2000-048-L			✓		15	50	38	✓	✓	✓			✓			✓		
	ZN/2000-048			✓		15	50	38	✓	✓	✓				✓	✓			
	ZN-SATIN/2000-048			✓		15	50	38	✓	✓	✓				✓	✓			
	ZN-POLISH/2000-048			✓		15	50	38	✓	✓	✓				✓		✓		
	ZN-COLOR/2000-048			✓		15	50	38	✓	✓	✓				✓			✓	
	A/2000-000			✓		15	50	38	✓	✓	✓		✓			✓			
	A/2000-000-L			✓		15	50	38	✓	✓	✓		✓				✓		
	A14/2000-000			✓		15	50	38	✓	✓	✓			✓		✓			
	A14/2000-000-L			✓		15	50	38	✓	✓	✓			✓			✓		
	ZN/2000-000			✓		15	50	38	✓	✓	✓				✓	✓			
	ZN-SATIN/2000-000			✓		15	50	38	✓	✓	✓				✓	✓			
	ZN-POLISH/2000-000			✓		15	50	38	✓	✓	✓				✓		✓		
	ZN-COLOR/2000-000			✓		15	50	38	✓	✓	✓				✓			✓	






Dimensions	b	h	a	k	s	z	Ø	e	f
mm	61 - 63	45	28	46 - 48	15 - 17	23	8	28	100



glass - t (mm)	8	8.76	10	10.76
	A19/22-008	A19/22-009	A19/22-010	A19/22-011

MODEL 22	Art.	Ø 33,7	Ø 42,4	Ø 48,3	90°	S	b	k	S1	S2	S3	AISI304	AISI316	ZAMAK	SATIN	POLISH	COLOR RAL	AL
	A/2200-033	✓				15	61	46	✓	✓		✓			✓			
	A/2200-033-L	✓				15	61	46	✓	✓		✓				✓		
	A14/2200-033	✓				15	61	46	✓	✓			✓		✓			
	A14/2200-033-L	✓				15	61	46	✓	✓			✓			✓		
	ZN/2200-033	✓				15	61	46	✓	✓				✓				
	ZN-SATIN/2200-033	✓				15	61	46	✓	✓				✓	✓			
	ZN-POLISH/2200-033	✓				15	61	46	✓	✓				✓		✓		
	ZN-COLOR/2200-033	✓				15	61	46	✓	✓				✓			✓	
	A/2200-042		✓			17	63	48	✓	✓		✓			✓			
	A/2200-042-L		✓			17	63	48	✓	✓		✓				✓		
	A14/2200-042		✓			17	63	48	✓	✓			✓		✓			
	A14/2200-042-L		✓			17	63	48	✓	✓			✓			✓		
	ZN/2200-042		✓			17	63	48	✓	✓				✓				
	ZN-SATIN/2200-042		✓			17	63	48	✓	✓				✓	✓			
	ZN-POLISH/2200-042		✓			17	63	48	✓	✓				✓		✓		
	ZN-COLOR/2200-042		✓			17	63	48	✓	✓				✓			✓	
	A/2200-048			✓		17	63	48	✓	✓		✓			✓			
	A/2200-048-L			✓		17	63	48	✓	✓		✓				✓		
	A14/2200-048			✓		17	63	48	✓	✓			✓		✓			
	A14/2200-048-L			✓		17	63	48	✓	✓			✓			✓		
	ZN/2200-048			✓		17	63	48	✓	✓				✓				
	ZN-SATIN/2200-048			✓		17	63	48	✓	✓				✓	✓			
	ZN-POLISH/2200-048			✓		17	63	48	✓	✓				✓		✓		
	ZN-COLOR/2200-048			✓		17	63	48	✓	✓				✓			✓	
	A/2200-000				✓	17	63	48	✓	✓		✓			✓			
	A/2200-000-L				✓	17	63	48	✓	✓		✓				✓		
	A14/2200-000				✓	17	63	48	✓	✓			✓		✓			
	A14/2200-000-L				✓	17	63	48	✓	✓			✓			✓		
	ZN/2200-000				✓	17	63	48	✓	✓				✓				
	ZN-SATIN/2200-000				✓	17	63	48	✓	✓				✓	✓			
	ZN-POLISH/2200-000				✓	17	63	48	✓	✓				✓		✓		
	ZN-COLOR/2200-000				✓	17	63	48	✓	✓				✓			✓	







glass clamps



S1 - SYSTEM




S2 - SYSTEM





Dimensions	b	h	a	k	s	z	Ø	e	f
mm	61 - 63	45	30	46 - 48	14 - 16	23	8	28	100

glass - t (mm)	12	12.76
	A19/25-012	A19/25-013

MODEL 25	Art.	Ø 33,7	Ø 42,4	Ø 48,3	90°	S (mm)	b (mm)	k (mm)	S1	S2	S3	AISI304	AISI316	ZAMAK	SATIN	POLISH	COLOR RAL	AL
	A/2500-033	✓				14	61	46	✓	✓		✓			✓			
	A/2500-033-L	✓				14	61	46	✓	✓		✓				✓		
	A14/2500-033	✓				14	61	46	✓	✓			✓		✓			
	A14/2500-033-L	✓				14	61	46	✓	✓			✓			✓		
	A/2500-042		✓			16	63	48	✓	✓		✓			✓			
	A/2500-042-L		✓			16	63	48	✓	✓		✓				✓		
	A14/2500-042		✓			16	63	48	✓	✓			✓		✓			
	A14/2500-042-L		✓			16	63	48	✓	✓			✓			✓		
	A/2500-048			✓		16	63	48	✓	✓		✓			✓			
	A/2500-048-L			✓		16	63	48	✓	✓		✓				✓		
	A14/2500-048			✓		16	63	48	✓	✓			✓		✓			
	A14/2500-048-L			✓		16	63	48	✓	✓			✓			✓		
	A/2500-000			✓		16	63	48	✓	✓		✓			✓			
	A/2500-000-L			✓		16	63	48	✓	✓		✓				✓		
	A14/2500-000			✓		16	63	48	✓	✓			✓		✓			
	A14/2500-000-L			✓		16	63	48	✓	✓			✓			✓		






Dimensions	b	h	a	s	z	Ø	f
mm	43 - 45	45	28	14 - 16	22	x	100





glass - t (mm)	6	6,76	8	8,76	10	10,76
	A19/21-006	A19/21-007	A19/21-008	A19/21-009	A19/21-010	A19/21-011

MODEL 21	Art.	33,7	42,4	48,3	Ø	S (mm)	b (mm)	90°	S1	S2	S3	AISI304	AISI316	ZAMAK	SATIN	POLISH	COLOR RAL	AL
	A/2100-033	✓				14	43	✓	✓			✓			✓			
	A/2100-033-L	✓				14	43	✓	✓			✓				✓		
	A14/2100-033	✓				14	43	✓	✓				✓		✓			
	A14/2100-033-L	✓				14	43	✓	✓				✓			✓		
	ZN/2100-033	✓				14	43	✓	✓					✓				
	ZN-SATIN/2100-033	✓				14	43	✓	✓					✓	✓			
	ZN-POLISH/2100-033	✓				14	43	✓	✓					✓		✓		
	ZN-COLOR/2100-033	✓				14	43	✓	✓					✓			✓	
	A/2100-042		✓			16	45	✓	✓			✓			✓			
	A/2100-042-L		✓			16	45	✓	✓			✓					✓	
	A14/2100-042		✓			16	45	✓	✓				✓		✓			
	A14/2100-042-L		✓			16	45	✓	✓				✓			✓		
	ZN/2100-042		✓			16	45	✓	✓					✓				
	ZN-SATIN/2100-042		✓			16	45	✓	✓					✓	✓			
	ZN-POLISH/2100-042		✓			16	45	✓	✓					✓		✓		
	ZN-COLOR/2100-042		✓			16	45	✓	✓					✓			✓	
	A/2100-048			✓		16	45	✓	✓			✓			✓			
	A/2100-048-L			✓		16	45	✓	✓			✓					✓	
	A14/2100-048			✓		16	45	✓	✓				✓		✓			
	A14/2100-048-L			✓		16	45	✓	✓				✓			✓		
	ZN/2100-048			✓		16	45	✓	✓					✓				
	ZN-SATIN/2100-048			✓		16	45	✓	✓					✓	✓			
	ZN-POLISH/2100-048			✓		16	45	✓	✓					✓		✓		
	ZN-COLOR/2100-048			✓		16	45	✓	✓					✓			✓	
	A/2100-000				✓	16	45	✓	✓			✓			✓			
	A/2100-000-L				✓	16	45	✓	✓			✓					✓	
	A14/2100-000				✓	16	45	✓	✓				✓		✓			
	A14/2100-000-L				✓	16	45	✓	✓				✓			✓		
	ZN/2100-000				✓	16	45	✓	✓					✓				
	ZN-SATIN/2100-000				✓	16	45	✓	✓					✓	✓			
	ZN-POLISH/2100-000				✓	16	45	✓	✓					✓		✓		
	ZN-COLOR/2100-000				✓	16	45	✓	✓					✓			✓	






glass clamps







Dimensions	b	h	a	k	s	z	Ø	e	f
mm	44 - 45	45	23	37 - 38	15 - 16	22	8	18	100

glass - t (mm)	6,76	8	8,76
	A19/21-P07	A19/21-P08	A19/21-P09

MODEL 210P	Art.	Ø 33,7	Ø 42,4	Ø 48,3	90°	S (mm)	b (mm)	k (mm)	S1	S2	S3	AISI304	AISI316	ZAMAK	SATIN	POLISH	COLOR RAL	AL
	A/210P-033	✓				15	44	37	✓	✓	✓	✓			✓			
	A/210P-033-L	✓				15	44	37	✓	✓	✓	✓				✓		
	A14/210P-033	✓				15	44	37	✓	✓	✓		✓		✓			
	A14/210P-033-L	✓				15	44	37	✓	✓	✓		✓			✓		
	A/210P-042		✓			16	45	38	✓	✓	✓	✓			✓			
	A/210P-042-L		✓			16	45	38	✓	✓	✓	✓				✓		
	A14/210P-042		✓			16	45	38	✓	✓	✓		✓		✓			
	A14/210P-042-L		✓			16	45	38	✓	✓	✓		✓			✓		
	A/210P-048			✓		16	45	38	✓	✓	✓	✓			✓			
	A/210P-048-L			✓		16	45	38	✓	✓	✓	✓				✓		
	A14/210P-048			✓		16	45	38	✓	✓	✓		✓		✓			
	A14/210P-048-L			✓		16	45	38	✓	✓	✓		✓			✓		
	A/210P-000				✓	16	45	38	✓	✓	✓	✓			✓			
	A/210P-000-L				✓	16	45	38	✓	✓	✓	✓				✓		
	A14/210P-000				✓	16	45	38	✓	✓	✓		✓		✓			
	A14/210P-000-L				✓	16	45	38	✓	✓	✓		✓			✓		






Dimensions	b	h	a	k	s	z	Ø	e	f
mm	48 - 52	52	33	37- 42	12 - 17	26	8	20	100

glass - t (mm)	8	8.76	10	10.76	12	12.76
	A19/26-008	A19/26-009	A19/26-010	A19/26-011	A19/26-012	A19/26-013





MODEL 26	Art.	Ø 33,7	Ø 42,4	Ø 48,3	Ø 52	S (mm)	b (mm)	k (mm)	90°	S1	S2	S3	AISI304	AISI316	ZAMAK	SATIN	POLISH	COLOR RAL	AL
	A/2600-033	✓				12	48	37		✓	✓	✓	✓			✓			
	A/2600-033-L	✓				12	48	37		✓	✓	✓	✓				✓		
	A14/2600-033	✓				12	48	37		✓	✓	✓		✓		✓			
	A14/2600-033-L	✓				12	48	37		✓	✓	✓		✓			✓		
	ZN/2600-033	✓				12	48	37		✓	✓	✓			✓	✓			
	ZN-SATIN/2600-033	✓				12	48	37		✓	✓	✓			✓	✓			
	ZN-POLISH/2600-033	✓				12	48	37		✓	✓	✓			✓		✓		
	ZN-COLOR/2600-033	✓				12	48	37		✓	✓	✓			✓			✓	
	A/2600-042		✓			17	53	42	✓	✓	✓	✓	✓			✓			
	A/2600-042-L		✓			17	53	42	✓	✓	✓	✓	✓				✓		
	A14/2600-042		✓			17	53	42	✓	✓	✓	✓		✓		✓			
	A14/2600-042-L		✓			17	53	42	✓	✓	✓	✓		✓			✓		
	ZN/2600-042		✓			17	53	42	✓	✓	✓	✓			✓	✓			
	ZN-SATIN/2600-042		✓			17	53	42	✓	✓	✓	✓			✓	✓			
	ZN-POLISH/2600-042		✓			17	53	42	✓	✓	✓	✓			✓		✓		
	ZN-COLOR/2600-042		✓			17	53	42	✓	✓	✓	✓			✓			✓	
	A/2600-048			✓		17	53	42	✓	✓	✓	✓	✓			✓			
	A/2600-048-L			✓		17	53	42	✓	✓	✓	✓	✓				✓		
	A14/2600-048			✓		17	53	42	✓	✓	✓	✓		✓		✓			
	A14/2600-048-L			✓		17	53	42	✓	✓	✓	✓		✓			✓		
	ZN/2600-048			✓		17	53	42	✓	✓	✓	✓			✓	✓			
	ZN-SATIN/2600-048			✓		17	53	42	✓	✓	✓	✓			✓	✓			
	ZN-POLISH/2600-048			✓		17	53	42	✓	✓	✓	✓			✓		✓		
	ZN-COLOR/2600-048			✓		17	53	42	✓	✓	✓	✓			✓			✓	
	A/2600-000				✓	17	53	42	✓	✓	✓	✓	✓			✓			
	A/2600-000-L				✓	17	53	42	✓	✓	✓	✓	✓				✓		
	A14/2600-000				✓	17	53	42	✓	✓	✓	✓		✓		✓			
	A14/2600-000-L				✓	17	53	42	✓	✓	✓	✓		✓			✓		
	ZN/2600-000				✓	17	53	42	✓	✓	✓	✓			✓	✓			
	ZN-SATIN/2600-000				✓	17	53	42	✓	✓	✓	✓			✓	✓			
	ZN-POLISH/2600-000				✓	17	53	42	✓	✓	✓	✓			✓		✓		
	ZN-COLOR/2600-000				✓	17	53	42	✓	✓	✓	✓			✓			✓	







baluster posts - standard

d (mm)				D (mm)				Quality				Finish		
10	12	14	16	33,7	42,4	48,3	40x40	AISI304	Zn ZAMAK	Aluminium	buk(beech)	dub	satin	polish
glass t=8,76														

										ATYP	
		material									
MODEL 22		height		art.							
VR-L VR-R		100cm		A-VR100-2GR		A-VR100-2GR-L		AJP-VR100-2GR			
				A-VR100-2GL		A-VR100-2GL-L		AJP-VR100-2GL			
VR-4G VR-4G90		100cm		A-VR100-4G		A-VR100-4G-L		AJP-VR100-4G			
				A-VR100-4G90		A-VR100-4G90-L		AJP-VR100-4G90			
VS-L VS-R		100cm		A-VS100-2GR		A-VS100-2GR-L		AJP-VS100-2GR			
				A-VS100-2GL		A-VS100-2GL-L		AJP-VS100-2GL			
VS-4G		100cm		A-VS100-4G		A-VS100-4G-L		AJP-VS100-4G			

	glass - t (mm)			
	8	8.76	10	10.76
				
	A19/22-008	A19/22-009	A19/22-010	A19/22-011








d (mm)				D (mm)				Quality				Finish		
10	12	14	16	33,7	42,4	48,3	40x40	AISI304	ZAMAK	Aluminium	buk(beech)	dub	satin	polish
glass t=8,76														

EN 743305 EN 734130 <table><tr><th>h</th><th>H</th></tr><tr><td>90cm</td><td>< 3m</td></tr><tr><td>100cm</td><td>< 12m</td></tr><tr><td>110cm</td><td>< 30m</td></tr><tr><td>120cm</td><td>> 30m</td></tr></table>		h	H	90cm	< 3m	100cm	< 12m	110cm	< 30m	120cm	> 30m	100 cm 2GL 2GR 4G 4G90				ATYP	
h	H																
90cm	< 3m																
100cm	< 12m																
110cm	< 30m																
120cm	> 30m																
material		art.															
MODEL 22 BR-L BR-R 100cm		A-BR100-2GR A-BR100-2GR-L AJP-BR100-2GR															
BR-4G 100cm		A-BR100-2GL A-BR100-2GL-L AJP-BR100-2GL															
BR-4G 100cm		A-BR100-4G A-BR100-4G-L AJP-BR100-4G															
BR-4G 100cm		A-BR100-4G90 A-BR100-4G90-L AJP-BR100-4G90															
BS-L BS-R 100cm		A-BS100-2GR A-BS100-2GR-L AJP-BS100-2GR															
BS-4G 100cm		A-BS100-2GL A-BS100-2GL-L AJP-BS100-2GL															
BS-4G 100cm		A-BS100-4G A-BS100-4G-L AJP-BS100-4G															

	glass - t (mm)			
	8	8.76	10	10.76
	A19/22-008 A19/22-009 A19/22-010 A19/22-011			









d (mm)				D (mm)		Quality		Finish	
10	12	14	16	33,7	48,3	20	20	buk(beech)	dub(oak)
glass t=8,76				42,4 50	40x40	AISI304		satin	
						ZAMAK		polish	

EN 743305 EN 734130 <table><tr><th>h</th><th>H</th></tr><tr><td>90cm</td><td>< 3m</td></tr><tr><td>100cm</td><td>< 12m</td></tr><tr><td>110cm</td><td>< 30m</td></tr><tr><td>120cm</td><td>> 30m</td></tr></table>	h	H	90cm	< 3m	100cm	< 12m	110cm	< 30m	120cm	> 30m	2GL 2GR 4G 4G90				ATYP
h	H														
90cm	< 3m														
100cm	< 12m														
110cm	< 30m														
120cm	> 30m														
2GL 2GR 4G 4G90															
MODEL 22	material	buk (beech)	dub (oak)	buk (beech)	dub (oak)										
	height	art.													
VR-2GL VR-2GR	100cm	WB-VR100-2GR	WD-VR100-2GR	WBJP-VR100-2GR	WDJP-VR100-2GR										
		WB-VR100-2GL	WD-VR100-2GL	WBJP-VR100-2GL	WDJP-VR100-2GL										
VR-4G VR-4G90	100cm	WB-VR100-4G	WD-VR100-4G	WBJP-VR100-4G	WDJP-VR100-4G										
		WB-VR100-4G90	WD-VR100-4G90	WBJP-VR100-4G90	WDJP-VR100-4G90										
VS-2GL VS-2GR	100cm	WB-VS100-2GR	WD-VS100-2GR	WBJP-VS100-2GR	WDJP-VS100-2GR										
		WB-VS100-2GL	WD-VS100-2GL	WBJP-VS100-2GL	WDJP-VS100-2GL										
VS-4G	100cm	WB-VS100-4G	WD-VS100-4G	WBJP-VS100-4G	WDJP-VS100-4G										

	glass - t (mm)			
	8	8.76	10	10.76
+	A19/22-008	A19/22-009	A19/22-010	A19/22-011








d (mm)				D (mm)				Quality	Finish
10	12	14	16	33,7	42,4	48,3	40x40	AISI304	ZAMAK
glass t=8,76				50				buk(beech)	dub(oak)
									satin
									polish

EN 743305 EN 734130 h H 90cm < 3m 100cm < 12m 110cm < 30m 120cm > 30m	100cm 2GL 2GR 4G 4G90				ATYP	
2GL 2GR 4G 4G90						
MODEL 22	material	buk (beech)	dub (oak)	buk (beech)	dub (oak)	art.
	height					
BR-2GL BR-2GR	100cm	WB-BR100-2GR	WD-BR100-2GR	WBJP-BR100-2GR	WDJP-BR100-2GR	
BR-4G BR-4G90	100cm	WB-BR100-4G	WD-BR100-4G	WBJP-BR100-4G	WDJP-BR100-4G	
BS-2GL BS-2GR	100cm	WB-BS100-2GR	WD-BS100-2GR	WBJP-BS100-2GR	WDJP-BS100-2GR	
BS-4G	100cm	WB-BS100-4G	WD-BS100-4G	WBJP-BS100-4G	WDJP-BS100-4G	

 	+	glass - t (mm)			
		8	8.76	10	10.76
			A19/22-008	A19/22-009	A19/22-010





d (mm)				D (mm)				Quality				Finish	
10	12	14	16	33,7	42,4	48,3	40x40	AISI304	316	ZAMAK	Aluminium	buk(beech)	satın

glass
t=8,76



42,4
50

AISI304

316

ZAMAK


Aluminium





Quality	Finish	art.	L	h
AISI304	satın	A/ZGVR100-1504	1504	1000
		A/ZGVR100-2786	2786	1000
		A/ZGVR100-5350	5350	1000



A/2200-042




A19/22-009 A19/22-009




Quality	Finish	art.	L	h
AISI304	satın	A/ZGBR100-1504	1504	1000
		A/ZGBR100-2786	2786	1000
		A/ZGBR100-5350	5350	1000



A/2600-042



A19/22-009 A19/22-009




Quality	art.	L	h
buk(beech)	WB/ZGVR100-1520	1520	1000
	WB/ZGVR100-2810	2810	1000
	WB/ZGVR100-5390	5390	1000



A/2200-042



A19/22-009 A19/22-009



Quality	art.	L	h
buk(beech)	WB/ZGBR100-1520	1520	1000
	WB/ZGBR100-2810	2810	1000
	WB/ZGBR100-5390	5390	1000



A/2600-042



A19/22-009 A19/22-009



GS/8,76-120x75-VSG
GS/8,76-120x85-VSG



GS/8,76-120x85-VSG-MILK

